

Jaw Tips

Argensinter standard




Jaw Tips

(according to Argensinter Standard)


Solid Carbide Jaw Tips. Mechanical Clamping

Type: C




Code	B1	B2	L1	A1	A2
MOR GC6	15.87	15.87	12.7	5.2	8.2
MOR GC7	19.05	19.05	16	6.7	11

Type: D




Code	D1	L1	A1	A2
MOR GD4	15.87	12.7	5.2	8.2
MOR GD6	19.05	16	6.7	11

Type: K




Code	B1	B2	L1	R
MOR GK4	12.7	12.7	9.5	M6
MOR GK5	15.87	15.87	9.5	M6
MOR GK6	19.05	19.05	12.7	M6
MOR GK7	19.05	19.05	9.5	M6
MOR GK8	12.7	44.50	9.0	M6

Type: L




Code	B1	B2	L1	R
MOR GL4	14.5	16	8	10-32UNF
MOR GL5	19	22.5	13.5	10-32UNF

Type: M




Code	B1	B2	L1	R
MOR GM4	14	16.5	8	10-32UNF


Type: N




Code	B1	B2	L1	R
MOR GN4	14	16.5	8	10-32UNF

Type: R



Code	D1	L1	R
MOR GR3	11.9	9.5	10-32 UNF
MOR GR4	12.6	9.5	10-32 UNF
MOR GR5	12.6	12.7	10-32 UNF
MOR GR6	15.5	9.5	M6
MOR GR7	15.87	9.5	M6
MOR GR8	19.05	9.5	M6
MOR GR9	19.95	10	M6

Brazing carbide Jaw tips
Type: V


Code	L	A	E
MOR GV28	28	6	6.5

Type: U


Code	L	A	E
MOR GU22	22	9	6.5
MOR GU33	33	9	6
MOR GU40	40	9	6.5

Type: T


Code	L	A	E
MOR GT29	29	9	6.5

Type: E


* Diameter A Rectified +0.00 / -0.05 mm


Code	ØA*	E
MOR GE60	6.0	3.0
MOR GE80	8.0	3.5
MOR GE83	8.3	3.5
MOR GE85	8.5	3.5
MOR GE95	9.5	3.5
MOR GE105	10.5	3.5
MOR GE127	12.7	4.0
MOR GE140	14.0	5.0

Type: EB


* Diameter A gross +0.10 / -0.10 mm

Code	ØA*	E
MOR GEB60	6.0	3.0
MOR GEB80	8.0	3.5
MOR GEB83	8.3	3.5
MOR GEB85	8.5	3.5
MOR GEB95	9.5	3.5
MOR GEB105	10.5	3.5
MOR GEB127	12.7	4.0
MOR GEB140	14.0	5.0

Type: S




Code	ØA*	E
MOR GS62	6.20	6.70
MOR GS97	9.70	9.50

* Diameter A Rectified +0.00 / -0.05

ARGENSINTER


Carbide Jaw tips brazed in a steel body. Mechanical Clamping

Type: F



Code	B1	B2	L	A1	R
MOR GF4	12.70	11	9	3	M6
MOR GF5	19.05	17	15	4.5	3/16NC

Type: O



Code	D1	D2	L	D3
MOR GO2	12.5	9.50	24	8

New!



Save time and get the best service. Visit MiArgensinter! (<http://mi.argensinter.com.ar>) and enter our online commercial platform. Consult our prices and the stock of these and/or any of our other products.

You will also be able to buy and order the manufacturing of more items without moving from your desk in a fast and safe way.

If you are in Argentina, you will receive your order in 24 hours (depending of your location, the period may be longer).

Por favor, para mayor información contáctese con nosotros o visítenos en www.argensinter.com

ARGENSINTER

Argensinter S.R.L. – Hard Metal and Special Cutting Tools
Tacuarí 925 (B1704FJM) Ramos Mejía
Province of Buenos Aires, Argentina
Phone: (+54) 11 4658 7637 – Fax: (+54) 11 4656 8028
email: sales@argensinter.com - Web site: <http://www.argensinter.com>